

the best - just got better... and bigger

XX-LARGE



TOTAL 14 DRAWERS WITH 1.129 OR 1.151 TOOLS

CONTENT XX-LARGE

1875 S13 1000+ TOOL SET - 1129 TOOLS

ITEM NO. 1875-1129



5704196 043883




84,5 KG



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|------------------------|--|
| 11 | 6-point sockets | 5014 1/4" 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm |
| 10 | Long 6-point sockets | 5014 1/4" L 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm |
| 5 | Sockets - Torx® screws | 5014 1/4" NTX E4 - E5 - E6 - E7 - E8 |
| 1 | Ratchet, 60 teeth | 5314 1/4" E |
| 1 | Universal joint | 5814 1/4" U |
| 1 | Screwdriver bit socket | 4714 1/4" x 1/4" |
| 1 | Spinner handle | 5514 1/4" HD |
| 4 | Extensions | 5214 1/4" EX 50 - 100 - 150 - 300 mm |
| 24 | 6-point sockets | 5012 1/2" 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 - 32 mm |
| 14 | Long 6-point sockets | 5012 1/2" L 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm |
| 9 | Sockets - Torx® screws | 5012 1/2" NTX E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24 |
| 1 | Ratchet, 60 teeth | 5312 1/2" E |
| 1 | Universal joint | 5812 1/2" E |
| 1 | Adaptor 1/2" x 3/8" | 5712 1/2" A |
| 2 | Extensions | 5212 1/2" EX 125 - 250 mm |
| 2 | Wobble extensions | 5212 1/2" EXW 75 - 125 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---------------------------------------|---|
| 9 | Socket drivers - hex head screws | 5112 1/2" H 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm |
| 9 | Socket drivers - Torx® screws | 5112 1/2" TX T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 |
| 8 | Socket drivers - XZN® screws | 5112 1/2" XZN M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16 |
| 2 | Socket drivers - Phillips® screws | 5112 1/2" PH 3 - 4 |
| 2 | Socket drivers - Pozidriv® screws | 5112 1/2" PZ 3 - 4 |
| 3 | Socket drivers - slotted screws | 5112 1/2" 8 - 10 - 12 mm |
| 9 | Long socket drivers - hex head screws | 5112 1/2" HL 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm |
| 9 | Long socket drivers - Torx® screws | 5112 1/2" TXL T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 |
| 8 | Long socket drivers - XZN® screws | 5112 1/2" XZNL M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16 |



1129
TOOLS

MEGA
1000+




CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---|---|
| 17 | 6-point sockets | 5038 3/8" 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm |
| 16 | Long 6-point sockets | 5038 3/8 L6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm |
| 3 | Spark plug sockets | 5038 3/8" SP 16 - 18 - 21 mm |
| 5 | Sockets - Torx® screws | 5038 3/8" NTX E10 - E12 - E14 - E16 - E18 |
| 9 | Socket drivers - Torx® screws | 5138 3/8" TX T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 |
| 9 | Socket drivers - Tamper resistant® Torx® screws | 5138 3/8" STX T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 |
| 8 | Socket drivers - hex head screws | 5138 3/8" H 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm |
| 3 | Socket drivers - XZN® screws | 5138 3/8" XZN M7 - M8 - M10 |
| 9 | Long socket drivers - Torx® screws | 5138 3/8" TXL T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 |
| 8 | Long socket drivers - hex head screws | 5138 3/8" HL 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm |
| 9 | Long socket drivers - XZN® screws | 5138 3/8" XZNL M5 - M6 - M7 - M8 - M10 - M11 - M12 - M13 - M14 |
| 1 | Ratchet, 60 teeth | 5338 3/8" E |
| 1 | Universal joint | 5838 3/8" U |
| 1 | Spinner handle | 5538 3/8" HD |
| 3 | Extensions | 5238 3/8" EX 75 - 125 - 500mm |
| 1 | Wobble extension | 5238 3/8" EXW 75 mm |
| 1 | Adaptor | 5738 3/8" A 3/8" x 1/4" |
| 1 | Adaptor | 5638 3/8" A 3/8" x 1/2" |




CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---|---|
| 26 | Combination wrenches | 2000 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm |
| 12 | Reversible ratchet combination wrenches | 2005 8-9-10-11-12-13-14-15-16-17-18-19 mm |
| 7 | Offset combination wrenches | 2100 8-10-12-13-15-17-19 mm |
| 6 | Double swivel end socket wrenches | 2400 8 x 9 - 10 x 11 - 12 x 13 - 14 x 15 - 16 x 17 - 18 x 19 mm |
| 3 | Gear wrench adaptors | 2095 A/3 1/4" - 3/8" - 1/2" |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---|--|
| 7 | Screwdrivers - slotted screws | 4000 SL 3x75 - 4x100 - 5.5x100 - 5.5x125 - 6.5x100 - 8x150 - 10x200 mm |
| 7 | Screwdrivers - Tamper resistant Torx® screws | 4030 STX T8 - T9 - T10 - T15 - T20 - T25 - T30 |
| 3 | Screwdrivers - Phillips® screws | 4010 PH 0 x 60 - PH 1 x 80 - PH 2 x 100 mm |
| 2 | Screwdrivers - Pozidriv® screws | 4020 PZ 2 x 100 - PZ 3 x 150 mm |
| 1 | Stubby Screwdriver - slotted screws | 4003 SL 6.5 x 25 mm |
| 1 | Stubby Screwdriver - Phillips® screws | 4013 PH 2 x 25 mm |
| 2 | Screwdrivers w/ impact cap - Phillips® screws | 4011 PH 1 x 80 - PH 3 x 150 mm |
| 3 | Screwdrivers w/ impact cap - slotted screws | 4001 SL 6.5 x 150 - 8 x 175 - 10 x 200 mm |
| 3 | Insulated Screwdrivers - Phillips® screws | 4210 PH 0 x 60 - PH 1 x 80 - PH 2 x 100 mm |
| 1 | Insulated Screwdriver - Pozidriv® screws | 4220 PZ 2 x 100 mm |
| 3 | Insulated Screwdrivers - slotted screws | 4200 SL 2.5 x 75 - 4 x 100 - 5.5 x 125 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|-----------------------------------|--------------------------------------|
| 3 | Internal circlip pliers, bent | 3105 12-25 mm - 19-60 mm - 40-100 mm |
| 3 | Internal circlip pliers, straight | 3100 12-25 mm - 19-60 mm - 40-100 mm |
| 3 | External circlip pliers, bent | 3115 10-25 mm - 19-60 mm - 40-100 mm |
| 3 | External circlip pliers, straight | 3110 10-25 mm - 19-60 mm - 40-100 mm |
| 1 | Combination plier | 3001 180 mm |
| 1 | Long nose plier | 3005 200 mm |
| 1 | Diagonal plier | 3002 160 mm |
| 1 | Water pump plier | 3020 250 mm |
| 1 | Insulated combination plier | 3001 180 mm |
| 1 | Insulated long nose plier | 3005 200 mm |
| 1 | Insulated diagonal plier | 3002 160 mm |
| 1 | Wire stripper | 3009 160 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|--|--|
| 12 | Bits - Phillips® screws | 4514 1/4" ACR 4 x PH1 - 7 x PH2 - 1 x PH3 |
| 12 | Bits - Pozidriv® screws | 4514 1/4" ACR 4 x PZ1 - 7 x PZ2 - 1 x PZ3 |
| 14 | Bits - Torx® screws | 4514 1/4" TX T6 - T7 - T8 - T9 - T10 - T15 - 3xT20 - 3xT25 - T30 - T40 |
| 9 | Bits - Tamper resistant Torx® screws | 4514 1/4" STX T10 - T15 - 2xT20 - 2xT25 - T27 - T30 - T40 |
| 6 | Bits - hex head screws | 4514 1/4" H 2 - 3 - 4 - 5 - 6 - 8 mm |
| 7 | Bits - slotted head screws | 4514 1/4" SL 3.5 - 4 - 4.5 - 5 - 5.5 - 6.5 - 8 mm |
| 3 | Bits - square head screws | 4514 1/4" SQ 1 - 2 - 3 |
| 4 | Bits - slotted head screws | 4516 5/16" SL 6 - 8 - 10 - 12 mm |
| 4 | Bits - Phillips® screws | 4516 5/16" ACR PH1 - PH2 - PH3 - PH4 |
| 4 | Bits - hex head screws | 4516 5/16" H 4 - 5 - 6 - 8 mm |
| 5 | Bits - Torx® screws | 4516 5/16" TX T30 - T40 - T45 - T50 - T55 |
| 11 | Bits - Torx® screws | 4510 10MM TX T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 |
| 6 | Bits - hex head screws | 4510 10 MM H 5 - 6 - 7 - 8 - 9 - 10 mm |
| 8 | Long bits - Torx® screws | 4510 10 MM TXL T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 |
| 6 | Long bits - hex head screws | 4510 10 MM HL 5 - 6 - 7 - 8 - 9 - 10 mm |
| 2 | Bits - Torx® screws | 4511 14 MM TX T60 - T70 |
| 4 | Bits - hex head screws | 4511 14 MM H 12 - 14 - 17 - 19 mm |
| 2 | Long bits - Torx® screws | 4511 14 MM TXL T60 - T70 |
| 4 | Long bits - hex head screws | 4511 14 MM HL 12 - 14 - 17 - 19 mm |
| 1 | Impact screwdriver socket | 4712 IB 1/2" x 5/16" |
| 1 | Impact bit driver | 4712 ID 1/2" |
| 1 | Flexible extension with quick release bit holder | 4714 QRF 1/4" |
| 1 | Bit screwdriver handle | 4046 1/4" |
| 1 | Extension | 4714 ME 1/4" 63 mm |
| 1 | Screwdriver bit socket | 4738 3/8" x 10 mm |
| 2 | Screwdriver bit sockets | 4712 1/2" x 10 mm - 1/2" x 14 mm |
| 1 | Tap and die set | 8570 S/16 (16 pcs.) |
| 3 | Hook wrenches | 2310 20-50 - 35-75 - 50-120 mm |
| 3 | Hook wrenches | 2312 20-50 - 35-75 - 50-120 mm |
| 1 | Feeler gauge set (20 pcs.) | 9350 S/20 0.05-1.0 mm |
| 6 | Pin punches | 8200 2 x 115 - 3 x 125 - 4 x 150 - 5 x 165 - 6 x 180 - 8 x 180 mm |
| 2 | Flat cold chisels | 8220 12 x 130 - 18 x 165 mm |
| 1 | Center punch | 8210 4 x 120 mm |
| 9 | Long angled ball point hexagon keys (metric) | 4195 LS/9 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm |
| 13 | Long angled ball point hexagon keys (inch) | 4195 LIS/13 0.05 - 1/16 - 5/64 - 3/32 - 7/64 - 1/8 - 9/64 - 5/32 - 3/16 - 7/32 - 1/4 - 5/16 - 3/8" |
| 9 | Long keys - Torx® head screws | 4190 LTXS/9 TX T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40 |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|-----------------------------------|---|
| 1 | Oil filter strap wrench | 8610 225 mm |
| 3 | Hose clamp pliers | 3315 1/4"-3/4" - 1/4"-1 1/4" - 3/4"-2 1/4" |
| 1 | Engineers hammer | 8030 300 g |
| 1 | Sledge hammer | 8040 1000 g |
| 1 | Dead blow hammer | 8060 40 mm |
| 1 | Professional crimping tool | 3052 245 mm |
| 20 | Male bullet connectors | Blue 6.3 x 0.8 mm |
| 20 | Female bullet connectors | Blue 6.3 x 0.8 mm |
| 20 | Butt connectors | Blue |
| 20 | Butt connectors | Red |
| 20 | Spade connector | Blue #8 |
| 20 | Ring terminals | Red #6 |
| 1 | End cutting plier, precision | 3603 125 mm |
| 1 | Diagonal cutting plier, precision | 3602 125 mm |
| 1 | Long nose plier, precision | 3605 150 mm |
| 1 | Bent nose plier, precision | 3606 150 mm |
| 1 | Locking plier | 3200 250 mm |
| 10 | Stubby combination wrenches | 2001 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|--|--|
| 3 | Screwdrivers - slotted screws, precision | 4400 SL 2 - 2.5 - 3mm |
| 2 | Screwdrivers - hex head screws, precision | 4435 H 2 - 2.5mm |
| 3 | Screwdrivers - Phillips® screws, precision | 4410 PH 00 - 0 - 1 |
| 6 | Screwdrivers - Torx® screws, precision | 4431 TX T6 - T7 - T8 - T9 - T10 - T15 |
| 1 | Precision screwdrivers set | 4492 S/13 (13-in-1) |
| 1 | Vernier caliper | 9200 150 mm |
| 13 | Twist impact sockets | 6112 1/2" TW 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 24 - 27 mm |
| 1 | Telescopic inspection mirror | 9006 IH Ø 50 mm |
| 1 | Telescopic magnification | 9009 Ø 55 mm |
| 1 | Magnetic pick-up tool | 9000 AM 2 Kg |
| 1 | Telescopic inspection mirror w/ magnet and scriber | 9004 3-in-1 |
| 1 | Gasket scraper | 8312 160 mm |
| 2 | Hooks, 90° offset and 135° bent | 8330 / 8332 |
| 1 | Hand rivet tool | 9650 2.4 - 5.0 mm |
| 80 | Blind rivets | Ø2.4x5.8 mm - Ø3.2x8.0 mm - Ø4.0x8.0 mm - Ø4.8-8.0 mm |
| 1 | Hand rivet nut tool | 9660 M3 - M6 |
| 80 | Rivet nuts | M3 - M4 - M5 - M6 |
| 5 | Screw extractors | 8492 S/5 3-6, 6-8, 8-11, 11-14, 14-18 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---------------------------|------------------------------|
| 1 | C-Clamp locking plier | 3220 275 mm |
| 1 | Welding grip plier | 3252 225 mm |
| 1 | Sheet metal grip plier | 3250 200 mm |
| 1 | Long plier with long jaws | 3205 150 mm |
| 2 | Tape rules | 9400 3 m - 5 m |
| 1 | Ergonomic hack saw | 9210 300 mm |
| 1 | Utility knife | 9115 B |
| 3 | Rolling head pry bars | 8350 300 - 400 - 500 mm |
| 3 | Heavy duty pry bar | 8352 300 - 450 - 600 mm |
| 3 | Nut splitters | 8494 3-12 - 12-16 - 16-22 mm |
| 1 | Steel rule | 9340 200 mm |



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|----------------------------------|--|
| 14 | 6-point sockets | 5034 3/4" 19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 - 50 mm |
| 1 | Ratchet, 48 teeth | 5334 3/4" |
| 1 | Sliding T-handle | 5434 3/4" TH 450 mm |
| 2 | Extensions | 5234 3/4" EX 200 - 400 mm |
| 8 | 6-point impact sockets | 6012 1/2" 13 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm |
| 8 | Long 6-point impact sockets | 6012 1/2" L 13 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm |
| 3 | Torsion bars with hex sockets | 6112 1/2" TBS 17 mm x 120 NM, 19 mm x 120 NM, 21 mm x 120 NM |
| 2 | Adjustable wrenches | 2600 150 - 250 mm |
| 40 | Bits - Phillips® screws | 4514 1/4" 20 x PH1 - 20x PH2 |
| 40 | Bits - Pozidriv® screws | 4514 1/4" 20 x PZ1 - 20 x PZ2 |
| 60 | Bits - Torx® screws | 4514 1/4" TX 20 x T15 - 20 x T20 - 20 x T25 |
| 4 | Stud extractor sockets | 8493 1/2" 6 - 8 - 10 - 12 mm |
| 6 | Hexagon oil service sockets | 8630 3/8" H 8 - 9 - 10 - 12 - 14 - 17 mm |
| 6 | Square oil service sockets | 8630 3/8" SQ 7 - 8 - 11 - 13 mm, 5/16" - 3/8" |
| 1 | Female square oil service socket | 8630 FSQ 10 mm |
| 1 | Triangular oil service socket | 8630 TRI |

1875 S14 MEGA 1000+ TOOL SET - 1151 TOOLS

ITEM NO. 1875-1151

5704196 043890

85,8 KG

- Tool set S13 (Item no. 1875-1129) including T-handle screwdriver set (Item no. 1875-1000-12).
- 1151 tools.

**MEGA
1000+**

**+ 22
TOOLS**



CONTENT:

| QTY. | DESCRIPTION | SIZE |
|------|---|---|
| 9 | T-handle hex nutspinners | 4142 5 - 5.5 - 6 - 7 - 8 - 10 - 11 - 12 - 13 mm |
| 6 | T-handle hex screwdrivers with ball point | 4108 2.5 - 3 - 4 - 5 - 6 - 8 mm |
| 7 | T-handle Torx® screwdrivers | 4137 T10 - T15 - T20 - T25 - T27 - T30 - T40 |